



## GENERAL SPECIFICATIONS

|                            |                           |                |
|----------------------------|---------------------------|----------------|
| • Hull length:             | 9,90m                     | 32'6"          |
| • L.O.A                    |                           |                |
| - standard:                | 11,08m                    | 36'4"          |
| - Maximum - with options:  | 11,16m                    | 36'7"          |
| • Overall width:           | 3,51m                     | 11'6"          |
| • Beam:                    | 3,40m                     | 11'2"          |
| • Unladen displacement:    | 5 215kg                   | 11,494 lbs     |
| • Light displacement (EC): | 6 148kg                   | 13,550 lbs     |
| • Air draft                |                           |                |
| - standard:                | 3,56m                     | 11'8"          |
| - with options:            | 4,64m                     | 15'3"          |
| • Maximum draft:           | 0,75m                     | 2'6"           |
| • Fuel capacity:           | 2 x 400L                  | 2 x 106 US Gal |
| • Freshwater capacity:     | 200L                      | 53 US Gal      |
| • Maximum engine power:    | 2 x 220Kw -<br>2 x 300 HP | 2 x 300 HP     |
| • Driving shaft length     |                           |                |
| - Twin engine:             | XXL 762mm                 | 30"            |

## ARCHITECTS / DESIGNERS

- Hull development: BENETEAU POWERBOATS
- Designers: SARRAZIN DESIGN

## EC CERTIFICATION

- Category B - 8 people
- Category C - 11 people
- Access to the flying bridge: Category C - 5 people

## STANDARD EQUIPMENT

### CONSTRUCTION

#### HULL

Composition:

- Sandwich (Polyester resin - Glass fiber - Balsa core)
- White gel coat

#### DECK

Composition:

- Sandwich (Polyester resin - Glass fiber - Balsa core)
- White gel coat
- Partial deck counter-mould
- Grey protection rail on the hull-deck joint
- Wheelhouse roof in white gel coat

### DECK EQUIPMENT

- Navigation lights = 1 all-round light on collapsible samson post
- Navigation lights (Bicolor)

#### MOORING LINES - MOORING

- Bow forestay chain plate
- Self-bailing mooring locker with hatch cover
- Eye bolt to secure mooring
- 2 Foredeck cleats in aluminum, 270 mm / 11"
- 2 Cleats amidships in aluminum, 270 mm / 11"
- 2 Aft cleats in aluminum, 270 mm / 11"

#### SAFETY ON DECK

- Stainless steel open pulpit surrounding the cockpit up to the cockpit steps
- Asymmetric catwalks
  - Port width: Minimum 15 cm / 6" - Maximum 20 cm / 8"
  - Starboard width: Minimum 35 cm / 1'2" - Maximum 40 cm / 1'4"
- 2 Stainless steel handrails on wheelhouse uprights
- 2 Stainless steel handrails on wheelhouse hood
- 2 Stainless steel handrails on cockpit coamings
- 1 Stainless steel hand rail on the cockpit bench seat
- 1 Hand rail below port side seat

#### COCKPIT

Length: 1,61m / 5'3" x Beam: 2,26m / 7'5"

- Self-bailing cockpit
- 1 Hand rail on the aft starboard platform
- Sliding aft bench seat, 3 place (Upholstery depending on version)
  - Seat back converts into sun deck
- Side bench seat with stowage locker and space for cool box
- Cockpit seat cover
- 1 Large lockable central cockpit locker with gas piston assisted opening
- Lighting from 3 ceiling lights
- Aluminum fuel tanks (2 x 400 L/2 x 106 US Gal) in sealed and ventilated compartment
- 2 Fuel filler caps on port and starboard freeboards
- Starboard bath access
- Security door
- Telescopic swimming ladder
- Cockpit shower
- Raising side platform with mechanical system as standard (electrical assistance optional)  
(Length: 1,30m / 4'3" x Height: 0,70m / 2'4")
- Base table x 2, for the wheelhouse table

### FLYBRIDGE

- Access ladder with stainless steel uprights and teak steps
- Polyester trap door
- Protective rails around the access area

#### Steering station

- Pilot console with space for electronics
- Steering compass
- Rev counter
- Fuel and engine gauge indicator
- USB socket
- Engine control console (Engine controls and counters supplied with pre-rigging)
- Adjustable pilot seat, matching the exterior upholstery (Upholstery version)
- Steering wheel stainless steel
- Grey tinted PMMA wind screen
- Seastar Power Assist hydroelectric steering
- Cup holders x 2

#### 4 person saloon

- Removable table to starboard with 2 built-in cup holders, can be converted into a sun deck
- Storage under seating
- Space for 30 L fridge (optional extra)
- Fixed seat back along the side and front, attached to the pulpit (Upholstery version)
- Reclining seat back
- Handrails
- Sun deck to aft
- Protective cases (Saloon + Sun bed + Steering station + Pilot seat)
- Location for built-in bimini roof (optional extra)
- Location for radar (optional extra)
- Location for solar panel (optional extra)

## INTERIOR

- Saloon upholstery to match the exterior upholstery (version)
- Cabin mattress cushions: Cushy Limestone
- Woodwork Alpi Noyer
- Brown oak laminated floors - Part in polyester

## WHEELHOUSE

Headroom: 2,00m / 6'7"

- Wheelhouse with one-piece translucent glass windscreen
- Side windows with translucent glass
- In CONFORT trim level: Opening portside windows
- 4 leaf aft window door in translucent PMMA
- Black anodised aluminum frame and lock
- 2 Electric windscreen wipers
- Lighting from 5 ceiling lights
- Blackout curtains

## STEERING STATION (TO STARBOARD)

Headroom: 1,93m / 6'4"

- Pilot console with space for electronics
- Steering compass
- Rev counter
- Fuel and engine gauge indicator
- USB socket
- Engine control console (Engine controls and counters supplied with pre-rigging)
- Bolster function adjustable pilot seat, matching the external upholstery (version)
- Steering wheel
- Brown oak foot rests
- Seastar Power Assist hydroelectric steering
- Guard rail
- Cup holders
- Sliding starboard side door

## GALLEY (TO STARBOARD)

- Black laminate galley worktop
- Tinted glass fold-down lid to protect worktop
- Storage drawer with lacquered titanium door
- Storage cupboard with lacquered titanium doors
- Stainless steel sink
- Cold water mixer tap under pressure (in trim level: Water heater - 25L)
- Fixed 2 ring gas cooker
- 80L refrigerator
- Bin
- 2 Cup holders

## SALOON

Headroom: 1,96m / 6'5"

- L-shaped saloon
  - Optional saloon convertible into a berth (walnut table and telescopic base replacing standard polyester table + cushions)
  - Length: 1,95m / 6'5"
  - Beam: 0,86m / 2'10" (without seat back cushion: 1,03m / 3'5")
- Folding polyester saloon table
- Copilot seat with swivelling seat back (navigation / saloon positions)
- Valet tray, in front of co-driver seat
- 2 Cup holders, in front of co-driver seat
- Copilot hand rail

## COMPANIONWAY

- Battery switch under the step
- Location for 75 L freezer or additional 80 L fridge (optional extra)
- Technical locker
- Storage cupboard

## FORWARD CABIN

Headroom: 1,93m / 6'4"

(under berth: min 0,90m / 2'11")

- Double berth:
  - Length (max): 2m / 6'7"
  - Beam (max): 1,60m / 5'3"
- Storage lockers, Under the bed
- Opening deck hatch, in the cabin
- 1 Cupboard with hanging space
- 1 Storage cupboard
- 2 Storage cubbyhole
- optional extra: 2 Port and starboard storage furniture
- Lighting:
  - 4 Overhead lights
  - 2 Reading lights
  - Indirect lighting
- Side glazing
- Ventilation provided by 2 opening portholes
- Blackout curtains

## GUEST CABIN

Headroom: 1,93m / 6'4"

(under berth: max 0,90m / 2'11")

- Double bed (1,97m x 1,52m / 6'6" x 5')
- 3rd berth (1,73m x 0,64m / 5'8" x 2'1")
- Storage lockers
- Lighting:
  - 3 Overhead lights
  - 2 Reading lights
- 1 Cupboard with hanging space
- Side glazing
- Ventilation provided by 2 opening portholes
- Blackout curtains

## HEAD

Headroom: Minimum 1,87m / 5'8" - Maximum 1,97m / 6'6"

- Lighting from 1 ceiling light
- Basin with mixer tap
- Mirror
- 1 Storage cupboard
- 1 Storage furniture with toilet paper holder
- 3 Storage integrated into the bulkhead
- Towel rail
- 1 Opening porthole
- Shower separated by translucent door
- Marine toilet
- 80 L / 21 US Gal rigid holding tank

## ELECTRICITY

---

- 12 V Electrical panel
- 3 Bilge pumps: 1 Manual pump - 2 Electric pumps
- Battery switch located in the companionway
- Installation for engine battery delivered with the pre-rigging (battery not delivered)

## PLUMBING

---

- 200 L / 106 US Gal Rigid water tank
- Water pump for pressure building

## SMART BOARD

---

"SEANAPPS" smart technology:

- For monitoring the boat's status and receiving alerts as well as maintenance advice via the associated mobile application.
- The type of information collected (GPS position, batteries, engine info, navigation data, etc.) varies according to the boat's configuration.



CONNECT YOUR BOAT **FREE YOUR MIND**

## MISCELLANEOUS ITEMS

---

- Smoke detector

## VERSION

### STANDARD UPHOLSTERY VERSION

- Marlin Auster upholstery
  - Pilot seat
  - Interior saloon
  - Cockpit sliding bench seat
  - Seat back converts into sun deck
  - L-shaped saloon in cockpit
  - Forward sun deck
  - Flybridge saloon
  - Flybridge sun deck
  - Flybridge helm seat

### ELEGANCE UPHOLSTERY VERSION

- Silvertex Sterling + Diamante meteor upholstery
  - Pilot seat
  - Interior saloon
  - Cockpit sliding bench seat
  - Seat back converts into sun deck
  - L-shaped saloon in cockpit
  - Forward sun deck with adjustable seat back
  - Canopy on forward sun deck
  - Flybridge saloon
  - Flybridge sun deck
  - Flybridge helm seat

### PURE UPHOLSTERY VERSION

- Linetex Chalk + Tannery Sugar upholstery
  - Pilot seat
  - Interior saloon
  - Cockpit sliding bench seat
  - Seat back converts into sun deck
  - L-shaped saloon in cockpit
  - Forward sun deck with adjustable seat back
  - Canopy on forward sun deck

## TRIM LEVEL & PACKS

### CONFORT TRIM LEVEL \_\_\_\_\_

- Electric windlass
- Extended swim platform
- Bow thruster
- Water heater (25L - 220V)
- Full 220 V electrical circuit + Battery charger
- LED courtesy lighting (Cockpit, Wheelhouse & Cabins)
- Port side sliding side window

### ELECTRONICS PACKS \_\_\_\_\_

#### ELECTRONIC PACK

- GARMIN 12" GPSMAP 1223 xsv Multifunction screen (chart not included)
- GARMIN 9" GPSMAP 923 XSV Multifunction screen on flybridge
- GARMIN GT23-TM Sensor

#### ELECTRONIC - UPGRADED PACK

- GARMIN 16" GPSmap 8416 XSV Multifunction screen (chart not included)
- GARMIN 9" GPSmap 922xs Plus Multifunction screen on flybridge
- GARMIN GT23-TM Sensor

#### SOUND PACK

- Fusion MS-RA210
- 2 Exterior speakers (50 W)
- 2 Interior speakers (50 W)
- 2 Flybridge speakers (50 W)

## OPTIONS

### INTERIOR ACCOMMODATION / ONBOARD COMFORT

- 220V Microwave oven
- Ceramic hob (220V)
- Additional freezer (75L), on lower deck
- Additional fridge (80L), on lower deck
- Electric demister
- Forced air heating fuel
- Reversible air condition at dock (220V - 60Hz) - 12 000 BTU in wheelhouse, 8 000 BTU in forward cabin, 8 000 BTU in aft cabin
- TV Antenna
- TV pre-assembly (220V) in the forward cabin
- TV pre-assembly (220V) in saloon/galley
- Additional berth with walnut table and telescopic leg, in saloon
- Upper port side storage cupboard in the wheelhouse (including 1 cupboard for the air conditioning unit)
- Upper starboard storage cupboard, in wheelhouse
- High storage cupboards, in the forward cabin
- Infinity Luxe cream carpet, in wheelhouse (Only with additional berth option)
- Savage abundance 39 carpet, in cabins + Steps
- Tableware kit - 6 people
- Mosquito screens on portholes

### EXTERIOR OPTIONS

- Complete mooring kit
- Ring for trailer
- Horn
- Stainless steel bowsprit without forward swimming ladder
- Forward ladder for bowsprit
- Graphite full cockpit closing
- Infinity Luxe Cream cockpit carpet
- Removable cockpit table, in polyester (in addition to the standard table, not compatible with "Walnut table and telescopic table leg + Additional berth", in saloon)
- Sun deck cover
- Flybridge bimini top
- Extension for flybridge bimini roof
- 30 L drawer fridge on flybridge
- Infinity Luxe Cream flybridge carpet
- Pearl grey hull

### ELECTRICAL SYSTEM

- Aft anchoring reel
- Electrical assistance system for side platform
- Diesel generator (6,4 KVA, 230V, 50Hz)
- Solar panels on flybridge (1 x 115 W)
- Deck searchlight
- Underwater light x2
- Trumpet horn on flybridge

### WATER SYSTEM

- Fresh water electric toilet
- Direct fresh water intake from the shore
- 90 L grey water tank deck and sea drainage
- 90 L grey water tank, deck drainage only (with change to the black water tank as standard)

## ENGINE

- Suzuki Top BMD electronic 2 station pre-fitting (2 x 300 HP)
- Mercury Top electronic 2 station pre-fitting (2 x 300 HP)
- Mercury Top electronic 2 station pre-fitting (2 x 300 HP) + Joystick
- Yamaha HMEX electronic pre-fitting (2 x 250-300 HP) DBW Fly
- Yamaha HMEX electronic pre-fitting (2 x 250-300 HP) SBW Fly

- Lenco trim tabs
- ZIPWAKE automatic trim system

## NAVIGATION ELECTRONICS

- GARMIN 215 VHF
- GARMIN Broadband 4G Radar
- GARMIN aft camera