



2 cabins 1 head version



3 cabins 1 head version (+ Sink unit)



3 cabins 2 heads version



4 cabins 2 heads version



GENERAL SPECIFICATIONS

• Overall Length (L.O.A)	12,87 m	42'3"
• Hull length	11,99 m	39'4"
• L.W.L.	11,70 m	38'5"
• Hull Beam	4,18 m	13'9"
• Deep draft (Cast iron)	2,17 m	7'1"
• Deep ballast weight	2 007 kg	4,423 lbs
• Shallow draft (Cast iron)	1,68 m	5'6"
• Shallow ballast weight	2 237 kg	4,930 lbs
• Performance draught (Cast iron)	2,27 m	7'5"
• Performance keel weight	2 004 kg	4,417 lbs
• Air draft (with aerial)	18,33 m	60'2"
• Performance air draught (with aerial)	18,78 m	61'7"
• Light displacement	7 985 kg	17,600 lbs
• Fuel tank capacity (standard)	195 L	52 US Gal
• Fresh water capacity (standard)	235 L	62 US Gal
• Fresh water capacity (optional)	330 L	87 US Gal
• Engine power (standard)	45 HP	45 HP

ARCHITECTS / DESIGNERS

- Naval Architect: Marc Lombard
- Outside & interior design: Nauta Design

EC CERTIFICATION

	1 Head	2 heads
• Category A	10 people	10 people
• Category B	10 people	10 people
• Category C	10 people	12 people

STANDARD SAILS DIMENSIONS

• Furling mainsail (standard)	34,70 m ²	373 sq ft
• Self-tacking jib (standard)	26,90 m ²	290 sq ft
• Classic mainsail	41,80 m ²	450 sq ft
• Furling genoa (105 %)	34,40 m ²	370 sq ft
• Code 0	61,10 m ²	658 sq ft
• I	15,13 m	49'8"
• J	4,77 m	15'8"
• P - Roller furling mast	14,69 m	48'2"
• P - Classic mast	14,83 m	48'8"
• E	5,08 m	16'8"

PERFORMANCE (Extended classic mast + 0,45 m / 1'6")

• Classic mainsail	43,20 m ²	465 sq ft
• Genoa	36,50 m ²	392 sq ft
• I	15,65 m	51'4"
• J	4,78 m	15'8"
• P	15,40 m	50'6"
• E	5,00 m	16'5"

STANDARD EQUIPMENT

CONSTRUCTION

- Design made following European Directive requirements and according to CE certification
- Monolithic polyester contact hull
- Monolithic structural hull liner bonded to the hull (Fabric - resin)
- Injected deck construction in fiberglass and Saerfoam foam sandwich, covered with non-slip diamond pattern
- Cast iron keel fixed with bolts and stainless steel backing plates
- Twin rudders affixed with stainless steel stock
- White hull - Grey metal hull decoration
- 6 Hull portlights

DECK EQUIPMENT

RIGGING

- Anodized furling mast (Z-Diffusion), deck stepped with in-mast furling system, 2 Aft swept spreaders
- Anodized aluminum boom
- Classic stainless steel single strand standard rigging
- Split backstay
- Rigid boom vang
- Self-tacking jib rigging with on-deck furler
- Mainsail stay rope on the roof (with 2 chainplates)
- 1 Self-tacking jib track with traveller
- Complete running rigging: Main halyard, Genoa halyard with cleat on mast, Boom topping lift with cleat on mast, Mainsheet, 1 Self-tacking jib sheet
- 9 Clutches
- 2 Flag halyards

WINCHES

- 2 Self tailing coachroof winches (H40.2 STA) on the coachroof
- 1 Aluminum Speed Grip winch handle
- 1 Winch handle holder

SAILS (Technique Voile)

- Furling mainsail Dacron, with UV protection Natural, horizontal cut
- Self-tacking jib Dacron with UV protection Natural, horizontal cut

MOORING - ANCHORING GEAR

- Self-draining chain locker - Integrated clench on the deck - Hatch cover
- Single roller stainless steel bow fitting with offset roller
- 6 Aluminum mooring cleats (Length: 300 mm / 12")
- Stainless steel chafing plate

SAFETY ON DECK

- 2 Stainless steel pulpit(s)
- 2 Stainless steel aft pushpits
- 2 stainless steel handrails on coachroof
- 1 Ring lifebuoy bracket
- Tube welded onto pulpit for flag
- Double life lines and stainless steel stanchions (605 mm / 2')
- Emergency ladder on pushpit

COCKPIT

- Self-bailing cockpit
- 1 Sail locker/Workshop below starboard cockpit bench
- 1 Wet locker below starboard cockpit bench
- 1 2-section cockpit bottom locker: 1 hull bottom access and 1 gas bottle
- Iro-Deck slatted cockpit benches
- Foldaway helmsman foot chock
- 2 Steering wheel consoles: Stainless steel steering wheels (900 mm / 2'11" diameter) - Anthracite leather covering - Steering gear at the helm station - Steering line transmission system - Stainless steel handrail
- 2 Deck accesses for emergency tiller, below footrest
- 1 Emergency tiller
- 1 Steering compass on the cockpit table
- Engine control, to starboard
- Enginer control panel, to port
- Cockpit table, stainless steel frame, 2 natural solid wood extension leaves, 4 cup holders, stainless steel handrail, waterproof USB socket, life raft stowage
- 1 2-part PMMA Saloon-type companionway door, Sliding hatch made of PMMA

SWIM PLATFORM / AFT TRANSOM

- Fully opening transom, convertible into swim platform (2,65 x 0,80 m / 8'8" x 2'7")
- Intermediate cockpit access step
- Manual opening with hoist
- Iro-Deck slatted swim deck
- 1 Fixed, telescopic stainless steel swimming ladder

INTERIOR

- Woodwork Alpi Walnut
- Nordic Teak Parquet type laminated floorboards
- Fabric internal upholstery
- Padded lining in salon (Beige)
- Mattress in cabins, HR35kg/m³ foam

Standard version: 2 Cabins - 1 Head - 1 Workshop



COMPANIONWAY

Headroom: 1,95 m / 6'5"

- Wooden salon companionway with hanging steps made from laminated molded wood with non-slip coating
- 2 Stainless steel handrails covered with anthracite leather

SALON - PORTSIDE

Headroom: 2,00 m / 6'7"

- U-shaped salon bench - Double density foam
- Salon table, wooden top, 2 fixed aluminum legs
- Storage under bench seats
- 1 dual USB port (in trim level)
- 1 Hull portlight
- 2 Coaming windows with pleated blinds
- 2 Opening deck hatches with mosquito screens/blinds

CHART TABLE - PORTSIDE

Headroom: 1,97 m / 6'6"

- Table with drop fronts - Wooden fiddle
- Switch panel on bulkhead for access to electrical functions
- Stowage against the bulkhead and below the chart table
- 1 115 V Power outlet (in trim level)
- 1 Single USB socket
- 1 spotlight
- 1 Opening porthole in coaming
- 1 Fixed coaming window with pleated blind

GALLEY - STARBOARD

Headroom: 1,91 m / 6'3"

- C-shaped galley
- Counter-top in Compact Clay
- Stainless steel sink 2 rectangular basins - 1 Faucet with hot/cold water under pressure
- 1 Gas stove 2 burners - Stainless steel oven on gimbal - Stainless steel protection handrail
- 190L / 50 US Gal icebox, top opening (with 10 L/3 US Gal freezer)
- Fitted cupboards and closed cubbyholes
- Open shelving above stove and sink
- Low-level stowage below sink
- Lower unit: 1 door, 2 drawers
- Bin with access on the counter-top
- 2 115V Sockets (in trim level)
- 2 Coaming windows with pleated blinds
- 1 Hull portlight
- 1 Flush deck hatch with blind/mosquito net

OWNER'S CABIN (Forward cabin)

Headroom: 1,94 m / 6'4"

- 1 Central double bed (2,03 x 1,60 - 1,31 m / 6'8" x 5'3" - 4'4")
- 2 Hanging lockers, open storage compartment along the hull
- 1 bedside table on each side of the bed
- 2 Spotlights on the headboard
- 1 dual USB port (in trim level)
- 1 115 V Power outlet (in trim level)
- 3 Flush deck panel with blind/mosquito net
- 2 Portholes with rigid sliding blind

STARBOARD AFT CABIN

Headroom: 1,93 m / 6'4"

- 1 Double bed (2,04 x 1,37 x 1,21 m / 6'8" x 4'6" x 4')
- 1 Hanging locker
- 1 Bed access sideboard
- 1 Spotlight on the headboard
- 1 dual USB port (in trim level)
- 1 115 V Power outlet (in trim level)
- 1 Hull porthole with curtain
- 1 Opening porthole below cockpit seat with curtain

STARBOARD AFT HEAD COMPARTMENT

Headroom: 1,95 m / 6'5"

- Access from the salon or the starboard aft cabin
- Shower with perspex door - self-draining storage tray - 1 mixer tap - White polyester shower base
- 1 Manual marine toilet
- 1 80 L / 21 US Gal Rigid holding tank
- 1 Polyester basin - 1 mixing tap hot/cold water
- 1 Cabinet + Storage space under the basin
- 2 Mirrors
- Toilet accessories
- 1 Opening porthole in coaming

3 cabins 1 head version



In the salon: movable central seating facing the table, no seat back. Built-in stowage locker.

The workshop of the standard version converts into the aft starboard cabin with large hanging locker.

Port aft cabin

Headroom: 1,93 m / 6'4"

- 1 Double bed (2,04 x 1,37 x 1,21 m / 6'8" x 4'6" x 4')
- 1 Hanging locker
- 1 Bed access sideboard
- 1 Spotlight on the headboard
- 1 dual USB port (in trim level)
- 1 115 V Power outlet (in trim level)
- 1 Hull porthole with curtain
- 1 Opening porthole below cockpit seat with curtain

3 cabins 2 heads version



The forward cabin has a large head to starboard comprising:

- Private entrance through forward cabin
- Shower with perspex door - self-draining storage tray - 1 mixer tap
- 1 Manual marine toilet
- 1 50 L / 131 US Gal Rigid holding tank
- 1 Polyester basin - 1 mixing tap hot/cold water
- 1 Cabinet + Storage space under the basin
- 1 Mirror
- Toilet accessories
- 1 Deck hatch with blind/mosquito net

4 cabins 2 heads version



Headroom: 1,94 m / 6'4"

- 2 Double cabins with hanging locker to forward
- 1 Aft port side head replacing the chart table

ENGINE

- Yanmar Engine (Diesel): 45 CV/HP Common rail (4JH45) - Propeller shaft
- Engine control at the starboard helm station - Enginer control panel, to port
- Engine compartment: Soundproofing foam - Ventilation: 3 air intakes and 1 forced air outlets
- 1 Alternator 12 V / 125 Amp
- 1 Rotomolded diesel tank 195 L / 52 US Gal (under port aft berth) - Electronic gauge - Low level alarm - 1 Tank filling access
- Filters: Sea water - Diesel - Water separator
- Fixed three blade propeller
- 1 Engine access through companionway (opening with 2 gas pistons) - 2 Engine access through aft cabins

ELECTRICITY

- 12 V Circuit
- 2 AGM service batteries (95 Amp) - 1 AGM engine battery (100 Amp)
- 1 Load balancer
- 12 V electrical panel on the chart table with single USB socke (Fuses - Voltmeter - Water gauge - Fuel gauge - Battery warning - Fuel warning - Water warning)
- 1 Single USB socket
- Lighting: Overhead lights - Spotlight - LED strip
- Navigation lights (LED): 2 Navigation lights - 1 Mooring light on masthead - 1 Aft starboard stern light
- Wire runs for optional cables

PLUMBING

- 1 Rotomolded freshwater tank (195 L / 52 US Gal) under starboard aft berth - 1 Tank filling access
- Waterpressure system - Expansion tank - Inline filter
- 40 L / 11 US Gal Electric water heater (engine use)
- 1 Rigid black water holding tank for each WC
- Electrical shower drain pumps
- 1 Electric bilge pump
- 1 Manual bilge pump

GAS

- 1 2 container for gas bottles in the cockpit locker (0,39 m x 0,39 m / 1'3" x 1'3" - Height: 0,51 m / 1'8")
- Regulator and solenoid

SMART BOARD

"SEANAPPS" smart technology:

- For monitoring the boat's status and receiving alerts as well as maintenance advice via the associated mobile application.
- The type of information collected (GPS position, batteries, engine info, navigation data, etc.) varies according to the boat's configuration.

seanapps

CONNECT YOUR BOAT FREE YOUR MIND

MISCELLANEOUS ITEMS

- Smoke detector
- Cleaning kit: eco-friendly cleaning products kit

TRIM LEVEL & PACKS

TRIM LEVEL

	COMFORT	FAMILY
<ul style="list-style-type: none"> • Beige padding upholstery in cabins • Iro-Deck slatted helm seats • 2 Halyard bag • Electric windlass (1 000 W) - Remote control • Cockpit shower hot/cold water • LED courtesy light in cockpit • Salon: LED indirect lighting • Upgrade of hotplate/galley oven: oven with grill • Galley: Front opening for icebox • Galley: Compact sink cover Clay with cutting board • Fusion RA210 Stereo + Interior speakers & Waterproof exterior speakers • 1 dual USB port in the salon and in each cabin • Full 115 V system (6 Inside sockets, 1 Shore power socket) • 1 60 Amp battery charger • 2 AGM additional service batteries (100 Amp) • AGM 100 Ah batteries with replacement of standard (engine and servo) • Battery charge display, Navicolor screen (3.5") - IBS sensor • Mosquito nets for opening portholes 	<ul style="list-style-type: none"> ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 	<ul style="list-style-type: none"> ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
<ul style="list-style-type: none"> • Aft transom protection • Bow fender • Outboard engine bracket • Salon: Double berth • Galley: Sea water/fresh water foot pump • Additional freshwater supply tank (330 L / 87 US Gal) • Fans in salon and cabins 		<ul style="list-style-type: none"> ■ ■ ■ ■ ■ ■ ■

ELECTRONICS PACKS: RAYMARINE

	COASTAL	OFFSHORE
<ul style="list-style-type: none"> • to port: 1 i70s display • Starboard helmstation: <ul style="list-style-type: none"> - 1 Steering console - 1 7" Axiom+ multi-function touchscreen (GPS, Chart plotter, Card reader - Navionics®+ Blank cartography included) - 1 Console cover, Cadet Grey • Sensor (Log, Speedometer, Temperature) • Wind Sensor (Windvane, Anemometer) • Windex Windvane • P70s Autopilot + Remote control • Chart table: RAY73 VHF, AIS receiver function 	<ul style="list-style-type: none"> ■ ■ ■ ■ ■ ■ ■ ■ 	<ul style="list-style-type: none"> ■ ■ ■ ■ ■ ■ ■ ■
<ul style="list-style-type: none"> • Port side helm station: <ul style="list-style-type: none"> 1 7" Axiom+ multi-function touchscreen (GPS, Chart plotter, Card reader - Navionics®+ Blank cartography included) - <i>in lieu of i70s display</i> • S100 Wireless autopilot remote control 		<ul style="list-style-type: none"> ■ ■

CLASSIC MAST PACK

- Classic ⁹/₁₀ anodized aluminum mast, 2 Spreaders
- Dacron semi Full Batten mainsail
- Lazy Jack System and Lazy bag in Natural color

RIGGING PACKS (Incompatible with First Line Pack)

	DOWNWIND PACK	UPWIND PACK	DOWNWIND + UPWIND PACK
<ul style="list-style-type: none"> • Rigging run back to cockpit (except boom topping lift) • 2 Genoa winches (H46.2 STA) • Additional jammers (on the roof for the halyard or on the coaming for the Genoa sheet, depending on the pack) • Polyester bowsprit with integrated anchoring gear and bobstay (for Code 0 and asymmetric spinnaker) • Asymmetrical spinnaker rigging / Code 0 • Genoa sheet tracks on side decks (pulls back the traveller on the self-trimming jib rail) • Furling Dacron genoa (to replace the standard self-tacking jib) 	<ul style="list-style-type: none"> • 1 single on roof 	<ul style="list-style-type: none"> • 2 doubles on coaming 	<ul style="list-style-type: none"> • 2 doubles on coaming + 1 single on roof

PERFORMANCE PACK

Boast supplied without sails (optional extra: Performance Sails)

FIRST LINE ALU PACK

- Polyester bowsprit with integrated anchoring gear and bobstay (for Code 0 and asymmetric spinnaker)
- Performance Classic aluminum mast, tapered (Z Diffusion), 2 Aft swept spreaders (+ 0,45 m / 1'6")
- Cascading backstay
- Cathedral type Dyform standing rigging
- Flatdeck genoa furler
- Additional jammers: 1 triple jammer on coaming to port and starboard for mainsail sheet, genoa sheet, adjustment of genoa sheet traveller (hauling line) + 1 single jammer on roof for spinnaker halyard/code 0
- Performance running rigging, Dyneema (Mainsail, Genoa, Code 0, Asymmetrical spinnaker, Halyards)
- German system (Two-way mainsheet at the helm station)
- Harken pulleys upgrade (instead of standard) - 12 E60 pulleys + 4 E80 pulleys
- Genoa sheet tracks on side decks + Genoa sheets
- 2 Genoa sheet manual winches (H46.2 STA)
- Black composite steering wheels
- Performance hull graphics

OPTIONS

NAVIGATION ELECTRONICS: RAYMARINE

- 1 9" Axiom+ screen on starboard console in lieu of 7"
- 700 AIS
- Quantum Doppler radar

RIGGING - SAILS

- Performance mainsail & Genoa (First Line Pack) / Sail technology: DCX, Natural color UV protection band, Lazy Jack System and Lazy bag in Natural color, Full batten mainsail
- Code 0 on furler for mast with in-mast furling or standard mast (Incompatible with First Line Pack)
- Cascading backstay (for traditional mast, standard air draught)
- Self-tacking staysail rigging (Halyard sheave with block + Releasable forestay chainplate + Self-tacking staysail sheet)
- Rigging of self-tacking jib (traveller) used to retain the use of a self-tacking jib with the Upwind and Upwind/Downwind packs

WINCHES

- 1 Port electric primary winch (H40.2 STAEH) instead of standard
- 2 Electric genoa winches (H46.2 STAEH) + 1 Winch handle (implies rigging pack)

HULL - DECK - COCKPIT

- Pearl Grey hull
- Iro-Deck slatted cockpit floor
- "Luxe" polyester/wood cockpit table, 2 natural solid wood extension leaves, Stainless steel handrails, Central storage (15L / 4 US Gal), without refrigeration unit, waterproof USB socket, life raft stowage + Protective cover (Cadet Grey)
- "Luxe" polyester cockpit table, 2 polyester extension leaves, Stainless steel handrails, waterproof USB socket, Central storage (15L / 4 US Gal), without refrigeration unit, life raft stowage - supplied without cover
- Refrigeration unit for "Luxe" cockpit table
- Cover for standard cockpit table (Cadet Grey)
- Steering wheels covers (Cadet Grey)
- "Luxe" (Cadet Grey) sprayhood with LED lighting, Superclear windows
- Bimini "Luxe" (Cadet Grey) ("Luxe" sprayhood option required)
- Cadet Grey bimini top full closing (Bimini option required)
- Cockpit seats Dolce 51
- Electric opening swim platform, Control at steering station + 2 Remote controls
- Retractable bow thruster (Side Power) + Dedicated batteries (50 Amp - 12 V)
- Aft fairleads (Aluminium mooring cleats on transom)
- 3 folding blades propeller
- Black composite steering wheels
- Mooring kit:
 - Delta 20 kg/44 lbs anchor (galvanized steel)
 - Chain (diameter: 10 mm / $\frac{3}{8}$ " - Length: 32 m / 105')
 - Line (diameter: 18 mm / $\frac{11}{16}$ " - Length: 45 m / 147')
 - 6 Fenders:
 - 2 L (diameter: 250 mm / 10" - Length: 700 mm / 2'4")
 - 4 XL (diameter: 300 mm / 12" - Length: 880 mm / 2'11")
 - 4 Moorings lines (diameter: 18 mm / $\frac{11}{16}$ " - Length: 15 m / 49')
- Windlass control with chain counter in cockpit
- Access openings to port and starboard
- Outboard engine bracket (not compatible with Family trim level)
- Shore freshwater supply
- 1 Opening porthole with curtain in the aft cabins (on roof on each side of the companionway)
- Stainless steel pivoting davits
- Gunwale on hull
- Solar panels on the coachroof (260 W)

INTERIOR EQUIPMENT

LAYOUT VERSIONS

- 2 cabins 1 head version
- 3 cabins 1 head version
- 3 cabins 2 heads version
- 4 cabins 2 heads version

AMBIANT

- Interior woodwork: Sand oak alpi
- Brown oak laminated floors (only with sand oak alpi joinery)
- Internal upholstery according to color chart
- Macadamia padding upholstery in salon and cabins (requires Comfort trim level)
- Beige or Macadamia padding upholstery in cabins & Headboard of forward cabin (for Family finishing)

MULTIMEDIA

- TV pre-assembly in the salon

DOMESTIC APPLIANCES

- 20 L microwave oven

ON BOARD COMFORT EQUIPMENT

- Lower cupboard at the bottom of the starboard companionway + Mirror
- Salon table upgrade: solid Alpi wood around the edge, central stowage
- Double berth in salon
- Sink unit in the forward cabin and mirror on bulkhead (for versions with 1 head, 2 and 3 cabins)
- Central bench seat in the salon (for the 2 cabin version, 1 head)
- Pleated blinds for hull portholes in the salon
- Sea water/fresh water foot pump in galley
- Extra water tank (330 L / 87 US Gal) under berth in forward cabin
- 6,4 kVA Generator (115 V / 50 Hz)
- 24 000 BTU air conditioning full boat (only for use via shore power supply) (compatible with heating option)
- Diesel heater "air pulse" (compatible with the air conditioning option)
- 12 V / 115 V inverter - 2 000 W
- Quiet Flush seawater electric toilet
- Shore freshwater supply
- 2 150Ah lithium batteries to replace the 4 AGM service batteries (required Comfort or Family trim level)
The lithium batteries can be used in exactly the same way as the greater number of AGM batteries that they replace. This technology allows 100% of the battery capacity to be used compared with 75% for the AGM batteries. The engine battery is still AGM.
- Gunwale on hull
- Fans in the salon and cabins (not compatible with Family trim level)
- Tableware Kit - 6 people