

General Equipment list - North America









GENERAL SPECIFICATIONS_____

 Overall Length (L.O.A)*: Hull length: Overall width: Hull Beam: Light displacement: Air draft (max): Draft (including propeller): Fuel tank: Water tank: Holding tank: Grey water tank (Option): Engine power: 	13,43 m 12,52 m 4,25 m 4,20 m 10 520 kg 4,32 m 1,15 m 1 170 L 400 L 120 L 320 L 2 x 270 HP	44'1" 41'1" 13'11" 13'9" 23 186 lbs 14'2" 3'9" 309 US Gal 106 US Gal 32 US Gal 66 US Gal 2 x 270 HP - 2 x 201 KW 2 x 320 HP -
---	---	--

^{*} with aft swim platform + Anchor in position

ARCHITECTS / DESIGNERS _

- Naval Architect: BENETEAU POWER
- · Exterior and interior design: Andreani Design

EC CERTIFICATION ___

- Category B 8 people
- Category C 10 people
- · Category D 10 people





General Equipment list - North America

STANDARD EQUIPMENT

CONSTRUCTION _____

HULL

Composition:

- Sandwich (Polyester resin contact fiberglass balsa core)
- · White gel coat (RAL 9010)
- · Structural hull counter molding in monolithic laminate (Polyester resin contact fiberglass)

Profile:

· Semi-planing hull

DECK

Composition:

- Sandwich (Polyester resin contact fiberglass / balsa core)
- Structural counter molding in monolithic laminate (polyester resin fiberglass)
- White gel coat (RAL 9010)
- · Diamond tip type non-slip surface

DECK EQUIPMENT

- · Gangway door to starboard
- · Polyester mast for mounting navigation lights, radar and aerials
- Fog horn

MOORING - ANCHORING GEAR

- 1 000 W Vertical electric windlass, up / down and remote control from the windlass, wheelhouse and flybridge
- 10 Mooring cleats (L 300 mm / 12")
- · Stainless steel gunwale guards
- 1 Compartment fitted with self-bailers and polyester covers

SAFETY ON DECK

- · Stainless steel pulpit, open and surrounding cockpit up to steps
- · Leather covered stainless steel handrails in the cockpit

COCKPIT

- Self-bailing cockpit
- 1 Locker in cockpit bottom gas piston assisted and lockable
- Gas cylinder locker integrated into the cockpit aft bench
- · Cockpit shower hot/cold water
- · Double starboard access door to the cockpit
- Swimming platform with rubbing strake (3,80 x 1,15 mm / 12'6" x 3'9")
- 1 Sliding bench seat on the platform
- · 1 Ergonomic bathing ladder with hand holds in the swim platform
- 1 Emergency ladder
- 1 PMMA access door at the starboard side deck from the cockpit



General Equipment list - North America

INTERIOR

- Choice of wood interior: Alpi teak (standard) or Alpi oak strip (optional)
- · Rovere Alévé Parquet type laminated floorboards
- · Marlin Brilliant white PVC interior upholstery
- PVC pilot bench Marlin white & Polaris
- · Marlin Brilliant white PVC Exterior upholstery

INTERIOR STEERING STAION

- · Grey helm console
- · Clear glass windscreen with aluminum frames, black lacquered
- · Anti-reflective coating
- 3 Electric windscreen wipers with synchronizing system
- · Windscreen washer
- Defogger
- · Side windows with black lacquered aluminum frames
- · Dashboard with place for navigation electronics
- Engine dials: Revolution counter, Fuel gauge, Warnings, Rudder angle indicator, Trim tab indicators
- Controls: Electric windlass, Bow thruster, Navigation lights, Electric windscreen wipers, Fog horn & Electric dual engine controls
- · Steering wheel
- · Steering compass
- Double USB socket
- · Dual pilot bench seat with hand rails
- · Removable floor step
- · Sliding side door with direct access to catwalk
- · Cup holder

SALON

Headroom: 1,90 m / 6'33"

- · U-shaped salon convertible to double berth
- Dividing rail and curtains for berth
- Roman blinds
- Varnished wood salon table
- · Storage cupboards
- 1 Large stowage drawer
- Sliding aft 2 single disappearing door aft bay with black lacquered aluminum frame
- Leather sheathed stainless steel handrail in cockpit deckhead
- Fusion RA210 player with 2 speakers in the wheelhouse and 2 speakers in the cockpit
- TV Pre-wiring (Fusion Apollo 670 + Speakers)

GALLEY

Headroom: 1,95 m / 6'5"

U-shaped galley, facing the cockpit and the salon - Includes:

- Corian Nimbus Prima countertop
- 2 Stainless steel sinks with cold/hot water mixer taps under pressure
- Gas oven
- · 3-burner hob with protective glass cover
- 215 L upright fridge with freezer function
- Storage & Drawers
- · Bin with access from cockpit and galley
- · Handrails

OWNER'S CABIN (FORWARD)

Headroom: 1,95 m / 6'5"

- Double berth (1,95 x 1,60 m / 6'5" x 5'3")
- · Storage under berth
- · Storage each side of bed
- Mirror
- · 1 Hanging locker with lighting
- 1 Cupboard with shelves
- 1 Opening deck hatch with fitted mosquito screen/blind
- · 2 Hull windows with opening portholes and blackout blind
- Venetian blinds
- Padded bed headboard
- TV Pre-wiring (Fusion Apollo 670 + Speakers)

HEAD (OWNER'S CABIN)

Headroom: 1,95 m / 6'5"

Separate shower compartment with seat and porthole and solid wood finish

- Mirror
- · Top and bottom cupboard
- · Electric toilet flushing with fresh water and salt water
- Oval washbasin
- · 1 Opening deck hatch with integrated blind
- 1 Hull portlight
- · Venetian blinds

VIP CABIN (PORTSIDE)

Headroom: 1,96 m / 6'6"

- 2 Single beds convertible into double beds (1,96 x 1,52 m / 6'5" x 5'8")
- Cupboard units
- · Storage under berth
- Cubby hole locker
- · Hull window with opening porthole and blackout blind
- 1 110 V Power outlet
- · 2 USB sockets
- · Padded bed headboard

LAZARETTE / THIRD CABIN (STARBOARD)

Headroom: 2,10 m / 6'11"

- · Modular stowage
- · Storage under berth
- · Space for washer dryer
- 1 110 V Power outlet
- 2 USB sockets

STARBOARD HEAD (DAY TOILET)

Headroom: 1,92 m / 6'4"

- Mirror
- · Top and bottom cupboard
- 1 Opening porthole
- Electric toilet flushing with fresh water and salt water
- Oval washbasin
- · Mixer tap
- Shower
- Towel rail



General Equipment list - North America

ENGINE

- Yanmar 8LV 320 HP Diesel
- · Shaft propulsion
- · Four-blade propellers
- · Bow thruster
- Stern thruster
- Fuel filters
- · Sea water filters
- Engine room soundproofed with high density foam (40 mm / 1-½" thick)
- Air intake for cooling the engine compartment on the port hull plating
- 1 Extinguisher
- · Dual deck filler for fuel tank with interconnection
- 2 Aluminum fuel tanks (capacity = 2 x 585 L/2 x 155 US Gal) with interconnection and provision for attachment of FPS (Fuel Polishing System) system
- Steering system:
 - 2 Underhung rudders stainless steel
 - Hydraulic steering
 - Electric trim tabs

ELECTRICITY ____

- Electrical panel (12 V / 110 V)
- Shore power socket (110 V)
- 10 110V Sockets:
 - 2 in the salon
 - 2 in galley
 - 2 in owner's cabin
 - 1 in the VIP cabin
 - 1 in the 3rd cabin
 - 1 in the owner head
 - 1 in the 2nd head
- 12 USB sockets:
- 2 in the salon
- 2 in steering station
- 4 in owner's cabin
- 2 in the VIP cabin
- 2 in the 3rd cabin
- 4 engine batteries (12 V 50 Amp)
- 2 AGM service batteries (12 V 140 Amp)
- 2 Battery chargers (25 Amp)
- Outside and inside lighting (Overhead lights, Reading lights)
- · LED indirect lighting
- Outside lighting (Navigation lights, Mooring light with stainless steel mountings)
- 7,5 kVA Generator

PLUMBING

- 1 Manual bilge pump (Cockpit)
- 2 Automatic electric bilge pumps
- Water unit for pressurizing the hot / cold water circuit with accumulator tank
- 40 L / 11 US Gal Water heater working off engine exchanger and 110 V
- · Water tank filler
- 2 Rotomolded water tanks (2 x 200 L / 2 x 53 US Gal)
- · Drainage outlet for black water holding tank
- 1 Holding tank (120 L / 32 US Gal)
- 1 Waste water tank (45 L / 12 US Gal)
- · Deck washdown pump
- · Shore freshwater supply

SMART BOARD

"SEANAPPS" smart technology:

- For monitoring the boat's status and receiving alerts as well as maintenance advice via the associated mobile application.
- The type of information collected (GPS position, batteries, engine info, navigation data, etc.) varies according to the boat's configuration.



CONNECT YOUR BOAT FREE YOUR MIND

MISCELLANEOUS ITEMS _____

· Smoke detector



General Equipment list - North America

TRIM LEVEL & PACKS

ESSENTIAL TRIM PACKAGE

- · 12V Cockpit socket
- Spare service battery (AGM)
- 1 9" Raymarine screen
- · Auto pilot
- Raymarine VHF
- Cup holders
- Deck searchlight

PA	C	ŊΟ	

ELECTRONIC PACK

- · Ship control
- · Windvane anemometer

OPTIONS

AMBIANT

· Oak strip version & Brown oak laminated floors

- Louvre doors, oak strip or teak
- · Ivory varnished, oak strip or teak louvre doors
- African Spirit Grey carpet (wheelhouse + Salon)
- Skye 53 carpet (Cabins + passageway)
- Infinity Zah Factor cream carpet (Cockpit)
- · Greige fabric interior upholstery
- · Crevin Noah 52 fabric interior upholstery
- VERTICE River Rock interior upholstery
- VERTICE Bianco interior upholstery
- VERTICE Cava interior upholstery
- · VERTICE Robusta interior upholstery
- · Confort Dolce 51 exterior upholstery
- · Marlin Brilliant white PVC fore sun deck
- · Confort Dolce 51 forward sun deck
- · Pearl Grey hull



General Equipment list - North America

OTHERS _____

INTERIOR ACCOMMODATION

- Rotating pilot chair with handrails + Salon table extension
- Grill & Microwave combined oven (replacing gas oven)
- · Washer / dryer
- · Dishwasher for 6 sets
- 3 burner induction stove (replacing gas stove)
- Ice maker
- Electric roof opening (only Sedan version)
- · Forced air heating
- · Storage in stern cabin
- Single mattress in the 3rd cabin
- · Mosquito screens on side door, aft bay and portholes
- Bose 2.1 Loudspeakers in the salon (replacing the Fusion)
- Air conditioning 16 000 BTU (wheelhouse + Cabins)
- Tableware Kit 6 people

EXTERIOR OPTIONS

- · Mooring kit:
 - Delta anchor 20 kg/35 lbs
 - Chain (10 mm diameter length 32 m)
 - Line (18 mm diameter length 45 m)
 - 4 Mooring ropes (18 mm diameter length 15 m)
 - 6 Fenders (250 mm diameter length 0,7 m)
- · Stainless steel bow fitting
- · Fore canvas sunshade
- Exterior guards: (Oyster or Flanelle)
 - Cockpit aft enclosure
 - Cockpit wheelhouse cover
- · Black exterior wheelhouse curtains Sunworker
- · Manual fold-up polyester gangway
- Folding cockpit table + 2 Folding arm chairs
- Storage rack for paddle, bike with access ladder (Sedan version only)
- 5 Solar panels on the coachroof (Sedan version only)
- Tender launching system on Plastimo davits (Tender: maximum length 2,6 m / 8'6", maximum weight 150 kg / 330_lbs)

ELECTRICAL SYSTEM

· Underwater lights

WATER SYSTEM

- Water maker (60 L/h / 16 US Gal/hour)
- · Rigid sewage reserve

NAVIGATION ELECTRONICS

- Raymarine AIS
- Radar
- · Aft camera