

General Equipment list - North America

GENERAL SPECIFICATIONS_____

Overall Length (L.O.A) *:	14,74 m	48'4"
	,	
Hull length:	12,77 m	41'11"
 Overall width: 	4,5 m	14'9"
Hull Beam:	4,42 m	14'6"
 Light displacement (EC): 	12 200 kg	27,896 lbs
Air draft:	5,79 m	19'
 Draft (including propeller): 	1,15 m	3'10"
Fuel tank:	1 930 L	510 US Gal
Water tank:	640 L	169 US Gal
Holding tank:	170 L	45 US Gal
 Grey water tank (Option): 	320 L	85 US Gal
Engine power:		
- standard	2 x 380 HP	2 x 380 HP
- Option	2 x 425 HP	2 x 425 HP

* (with aft swim platform + Anchor in position)

ARCHITECTS / DESIGNERS _____

Naval Architect: MICADDesign: Andreani Design

EC CERTIFICATION _

• Category B, C & D: 14 people











CONNECT YOUR BOAT FREE YOUR MIND



General Equipment list - North America

STANDARD EQUIPMENT

CONSTRUCTION _

HULL

Composition:

- · Sandwich (Polyester resin infusion fiberglass)
- · White gelcoat 9010
- Structural hull counter molding in monolithic laminate (Polyester resin infusion - fiberglass)

Profile:

· Semi-planing hull

DECK

Composition:

- · Sandwich (Polyester resin infusion fiberglass / balsa core)
- Structural counter molding in monolithic laminate (polyester resinfiberglass)
- · White gelcoat 9010
- · Diamond tip type non-slip surface

AMBIANT_

- · Alpi teak woodwork
- · Rovere Alévé Parquet type laminated floorboards
- · Marlin Brilliant White PVC interior upholstery
- · Anthracite pilot seat
- · Marlin Brilliant White PVC Exterior upholstery

DECK EQUIPMENT

Gangway door to starboard

MOORING - ANCHORING GEAR

- · Double stainless steel bow fitting
- 2 000 W Vertical electric windlass, up / down and remote control from the windlass, wheelhouse and flybridge
- 10 Aluminum mooring cleats (L 400 mm / 15 ¾")
- · Stainless steel gunwale guards
- 2 Compartments equipped with self-bailers and polyester hoods

SAFETY ON DECK

- · Stainless steel pulpit, open and surrounding cockpit up to steps
- · Leather covered stainless steel handrails, in the cockpit

COCKPIT

- · Self-bailing cockpit
- 2 Lockers in cockpit bottom gas piston assisted and lockable
- · Gas cylinder locker integrated into the cockpit aft bench
- · Cockpit shower hot/cold water
- · Double port cockpit access door
- Swimming platform with rubbing strake (4 x 1,4 m / 13'1" x 4'7")
- Ergonomic bathing ladder with hand holds in the swim platform
- 1 PMMA access door at the starboard side deck from the cockpit
- · Emergency ladder
- · 4 Cup holders

FLYBRIDGE

- · Flying bridge self-bailing
- Retractable stainless steel ladder with double access ramp to the flybridge with solid wood treads
- · Grey tinted windscreen in PMMA
- · Access by polyester hatch
- · Stainless steel pulpit surrounding aft of flybridge
- Polyester mast for mounting navigation lights, radar and aerials
- · Central steering console
- Control panel including: Electrical engine controls, Electric windlass control, Thruster and Trim tab
- · Gauges indicators
- Rudder angle indicator
- · Space for navigation electronics
- Steering wheel stainless steel
- Steering compass
- · Hydraulic steering
- Fog horn
- USB socket
- 1 Adjustable pilot seat and 3 places for co-pilot with convertible backrest
- Flybridge face-to-face salon with 2 bench seats in an L shape, with integrated stowage and an extendable solid wood table
- GRP unit with sink, handrail and stowage
- · Space for life raft with stainless steel fixing bolt plates
- Set of flybridge covers (console + bench seating + table)
- 6 Cup holders



General Equipment list - North America

INTERIOR _

SALON

Headroom: 1,97 m / 6'5"

- Raised U-shaped dinette settee convertible to double berth (2,4 x 1,32 m / 7'10" x 4'4")
- · Dividing rail and curtains for berth
- · Roman blinds with opening window
- · Adjustable height, varnished wood dining table
- · Sideboard unit with shelved cupboards and winerack
- · Sliding door aft 3 panel with black lacquered aluminium frame
- Leatherette sheathed stainless steel handrail in cockpit deckhead
- TV Pre-wiring (Fusion Apollo MS-RA770 + premium loudspeakers, in the salon, cockpit and flybridge)

GALLEY

Headroom: 1,97 m / 6'5"

L-shaped kitchen

- Full height Fridge/Freezer 255 L/67 US Gal
- · Corian countertop
- · Large stainless steel sink with cold/hot water mixer
- · Gas oven
- · 3-burner hob with protective glass cover
- · Overhead lockers
- · Cutlery drawer
- · Magic corner stowage, cupboards and drawers
- · Double waste bin
- 110 V Power outlet

STEERING STATION

- · Grey helm console
- Clear glass windscreen with black lacquered aluminum frames
- · Anti-reflective coating
- · 3 Synchronized windscreen wipers
- Windscreen washer
- · Defogger
- · Side windows with black lacquered aluminum frames
- Dashboard with place for navigation electronics
- · Oddments spaces and storage on port side
- Engine dials: Rev counter, Fuel gauge, Warnings, Rudder angle indicator, Trim tab indicators
- Remote control: Electric windlass, Bow thruster, Navigation lights, Electric windscreen wipers and fog horns, Electric dual engine controls
- · Steering wheel
- · Steering compass
- Cup holder
- Pilot seat with flip up bolster, fully adjustable leg with flip up footrest
- Sliding side door with direct access to sidedeck

OWNER'S CABIN (FORWARD)

Headroom: 1,96 m / 6'5"

- Double berth (1,99 x 1,60 m / 6'6" x 5'3")
- · Storage under berth
- · Storage each side of bed
- · Full length mirror
- · 1 Hanging locker with lighting
- 1 Cupboard with shelves
- · 1 Opening deck hatch with fitted mosquito screen/blind
- · 2 Hull windows with opening portholes and blackout blind
- TV Pre-wiring (Fusion Apollo MS-RA770 + premium loudspeakers with stand for up to 24" TV)

HEAD (OWNER'S CABIN)

Headroom: 1,96 m / 6'5"

Separate shower compartment with seat and hull porthole Deck hatch with mosquito screen/blind

- Mirror
- · Top and bottom cupboard
- · Electric toilet flushing with fresh water and salt water
- · Oval washbasin
- 1 Opening deck hatch with fitted mosquito screen/blind
- · 1 Hull portlight

VIP CABIN (PORTSIDE)

Headroom: 1,92 m / 6'31/2"

- 2 Single beds (1,98 x 0,7 m / 6'6" x 27½")
 In-fill cushions to make up double berth
- · En-suite door to day head
- · Bedside table
- · Full length mirror
- Wardrobe
- · Cupboard units
- · Storage under berth
- · 3 Shelving unit
- Hull window with opening porthole and blackout blind

THIRD CABIN (STARBOARD)

Headroom: 2,01 m / 6'7"

- Double berth (1,94 x 1,40 m / 6'41/2" x 4'7")
- Bedside shelf
- Wardrobe
- · Storage under berth
- Opening hull portholes with curtains

DAY HEAD (PORT SIDE)

Headroom: 1,93 m / 6'4"

- Mirror
- Top and bottom cupboard
- · Electric toilet flushing with fresh water and salt water
- Oval washbasin
- Separate shower compartment with seat and hull porthole
- Deck hatch with mosquito screen/blind
- 1 Opening deck hatch with fitted mosquito screen/blind
- 1 Hull portlight



General Equipment list - North America

ENGINE

- · Shaft propulsion
- · Four-blade propellers
- Cummins QSB 6,7L engine 2 x 380HP (2 x 279Kw) (standard)
- Cummins QSB 6,7L engine 2 x 425HP (2 x 313Kw) + Joystick (Option)
- Fuel filters
- · Sea water filters
- Engine room soundproofed with high density foam (40mm thick)
- · Air intake for cooling the engine compartment on the port hull plating
- 1 Extinguisher
- · Double fuel tank filling cap
- 2 Aluminum fuel tanks (Capacity = 2 x 965 L / 2 x 255 US Gal with interconnection)
- · Steering system:
- 2 Rudders stainless steel
- Hydraulic steering
- Electric trim tabs

ELECTRICITY

- Electrical panel (12 V / 110 V)
- Shore power socket (110 V)
- 13 110V Sockets: 2 in the salon, 2 in galley, 2 in owner's cabin, 1 in the VIP cabin, 1 in the 3rd cabin, 1 in the owner head, 1 in the 2nd head), 1 in the flybridge,+ 2 for TV (Salon + Owner's cabin)
- 12 USB sockets: 2 in the salon, 2 in steering station, 4 in owner's cabin, 2 in the VIP cabin, 2 in the 3rd cabin
- 2 double antenna sockets (TNT SAT)
- 4 12V 140Ah service batteries (AGM)
- · 4 12V 50Ah engine start batteries
- · 4 12V 50Ah bow thruster batteries
- · 2 Battery chargers 25 Ah
- Generator (7,5 KVA 110 V / 50 Hz) + COCON
- 1 12 V Power outlet
- · Outside and inside lighting (Overhead lights, Reading lights)
- · LED indirect lighting
- · Outside lighting (Navigation lights, Mooring light with stainless steel mountings)

PLUMBING

- 1 Manual bilge pump (Cockpit)
- · 2 Automatic electric bilge pumps
- · Shore freshwater supply
- · Pump for deck washing
- Water unit for pressurizing the hot / cold water circuit with accumulator tank
- 40 L / 11 US Gal Water heater working off engine exchanger and 110 V
- · Water tank filler
- 2 Rotomolded water tanks (2 x 320 L / 2 x 85 US Gal)
- · Drainage outlet for black water holding tank

SMART BOARD

"SEANAPPS" smart technology:

- For monitoring the boat's status and receiving alerts as well as maintenance advice via the associated mobile application.
- The type of information collected (GPS position, batteries, engine info, navigation data, etc.) varies according to the boat's configuration.

seawapps

CONNECT YOUR BOAT FREE YOUR MIND

MISCELLANEOUS ITEMS _____

· Smoke detector



General Equipment list - North America

TRIM LEVEL & PACKS

ESSENTIAL TRIM PACKAGE

- · AMS Web server (Ship control)
- · Double station deck searchlight
- 40 L refrigerator, on flybridge
- · Pre-wiring for heating
- · Air conditioning pre-arrangement
- Inverter (2 KVA)
- 2 9" Raymarine interior screens
- 2 9" Raymarine exterior screens
- Auto pilot
- Raymarine VHF

PACKS

ELECTRONIC PACK

- 2 12" Raymarine interior screens (to replace 9", included in the Essential trim level)
- 2 12" Raymarine exterior screens (to replace 9", included in the Essential trim level)
- · AIS transceiver

SMART PACK (only available with the generator option)

- · Flybridge T-top with sliding soft-top
- · Hydraulic swim platform 350kg toy allowance
- · Aft platform tender mounting
- · Demountable bathing ladder on portside

OPTIONS

AMBIANT

- Teak plain doors (standard)
- · Teak doors with teak slats & infill panel
- Teak doors with crème slats & infill panel
- · Oak plain doors
- · Oak doors with oak slats & infill panel
- Oak doors with crème slats & infill panel
- · Oak stripe version & Brown oak laminated floors
- African Spirit Grey carpet (wheelhouse + Salon)
- Skye 53 carpet (Cabins + passageway)
- Infinity Zah Factor cream carpet (Cockpit)
- · Bolt Greige 06 fabric interior upholstery
- · Crevin Noah 52 fabric interior upholstery
- VERTICE River Rock interior upholstery
- VERTICE Bianco interior upholstery
- VERTICE Cava interior upholstery
- VERTICE Robusta interior upholstery
- Marlin Brilliant White PVC cockpit seat
- Confort Dolce 51 PVC cockpit seat
- Confort Dolce 51 external upholstery, with bolster seat on flybridge
- · Marlin Brilliant White PVC fore sun deck
- Confort Dolce 51 PVC fore sun deck
- · Pearl Grey hull



General Equipment list - North America

INTERIOR LAYOUT / ONBOARD COMFORT _

- · Washer / dryer
- · Dishwasher for 6 sets
- 110 all electric kitchen (Combined oven/microwave grill, replacing the gas oven and 2-ring induction hob)
- · Wine cellar 23 bottles in end of raised dinette
- Villeroy & Boch cutlery, crockery and illuminated glassware cupboard (8 places settings)
- Electric pedestal folding dinette table with drinks holders and handrail
- Water heating (12 kW)
- Air conditioning 48 000 BTU:

Owner's cabin: 1x8 kBTUAft cabins: 1x10 kBTUwheelhouse: 2x16 kBTU

Mosquito screens (Side doors + Aft window door + Portholes)

EXTERIOR OPTIONS

- · Complete mooring/anchoring kit:
 - Delta anchor 25 kg
 - Chain (12 mm diameter Length 85 m)
 - Mooring line (18 mm diameter Length 20 m)
 - 4 Docklines (18 mm diameter Length 15 m)
 - 6 Fenders (250 mm diameter height 700 mm)
- · Fore canvas sunshade
- · Exterior guards: Oyster or Flanelle
 - Cockpit aft enclosure
 - Flybridge closing
 - Bimini of Flybridge
 - Flybridge dodgers
- Hydraulic gangway (2,72m deployed length)
- · Black exterior wheelhouse curtains Sunworker in wheelhouse
- · Ice maker, in salon sideboard
- · Electric flybridge grill
- Folding cockpit table & 2 chairs
- PVC cockpit seat cushion Marlin Brilliant White
- · Cockpit seat cushion Dolce 51

WATER SYSTEM

- Water maker 60 L/h / 16 US Gal/hour
- · Rigid sewage reserve

ENGINE

- Cummins QSB 6,7L engine 2 x 425HP (2 x 279Kw)
- · Cummins joystick (Engines & Bow thruster)
- Double station stern thruster (170 kgf) (Not available with Joystick + requires the bow thruster)
- 3rd Control joystick
- · Automatic fire suppression system
- · Cummins spares box

NAVIGATION ELECTRONICS

- Windvane
- · Aft camera
- · Raymarine Radar
- Raymarine ClearCruise (augmented reality)